
3B0029 High Rate 1/2 C Cell Lithium Sulfuryl Chloride

ERY SPECIALTIES Learn more and buy it at: https://batteryspecialties.com

CSC93 Series

Physical Characteristics

Sulfuryl Chloride Spiral
Spiral
1/2 C
29.0 mm
25.4 mm
34.0 g
1.1 g
Yes



Discharge Curve

75 mA, 23°C

Electrical Characteristics

Cell Type	Primary
Open Circuit Voltage (25°C)	3.93 V
Nominal Capacity	3.1 Ah
Maximum Continuous Current	350 mA
Operating Temperature	-20°C to +93°C
Self Discharge Rate	<3% per year
Storage Temperature	≤ 25°C
Discharge Condition	75 mA, 23°C

Key Features

- Primary chemistry (non-rechargeable)
- High rate capability
- Advanced spiral-wound technology
- Stainless steel container
- Hermetic glass-to-metal sealing
- Restricted for transportation (Class 9)
- Custom terminations available

Main Applications³

1

- Military communications
- Oceanographic buoys and gliders

1.5

2

Amp-hr

2.5

3

3.5

- Tracking systems
- Sensor systems

0.5

- Pipeline inspection gauges
- Beacons, transponders and receivers
- Seismic surveying birds

NOTE: 1-The information on this datasheet is for marketing purposes only. Please consult with Electrochem for more information regarding how our cells will perform within your application. 2 The information in this document is subject to change without notice and does not constitute a warranty of performance. 3 This product and its external electrical contact materials are RoHS compliant. See our "RoHS Statement" for more information. 4 The length dimension was based off of a flat termination. The use of other terminations will impact overall cell length. 5 Diameter measurements include shrink when applicable. 6 The "Main Application" list does not include all potential applications, please consult Electrochem for your application needs.



4

3.5

2.5

2 0

Volts 3